



Product Range *Overview*

Pioneering solutions for total power protection

Single phase UPS



Rehiko PW 1000

- | 1-10 kVA
- | Flexible tower or rack-mounted system
- | Hot-swappable batteries
- | Up to 94% efficiency

Rehiko PW 3000/P1

- | 10 kVA & 20 kVA
- | Unity power factor
- | Parallel capability up to 4 units (80 kVA/kW)
- | Best in class 96.6% efficiency

iDialog

- | 600 - 1600 VA
- | Silent operation
- | Auto restart
- | Automatic shut off during periods of prolonged inactivity

iPlug

- | 600 - 800 VA
- | Compact and versatile
- | LED status panel
- | User replaceable batteries

Vision

- | 800 - 2000 VA
- | EnergyShare load shedding capability
- | Sinusoidal digital technology
- | Advanced communications and connectivity options



Vision Rack

- | 800 - 1100 VA
- | Features 4 IEC connection sockets
- | Advanced sinewave digital technology
- | Features EnergyShare socket for load shedding functionality

Vision Dual

- | 1.1kVA - 3kVA
- | Features 8 IEC connection sockets
- | 2 IEC sockets can be designated for load shedding
- | Available in 4 models

Sentinel Pro

- | 700 - 3000 VA
- | High overload capacity of up to 150%
- | 0.99pf high quality power
- | Can handle 140V to 240V without requiring batteries

Sentinel Dual LP

- | 1-3kVA
- | Dual height high rack mounted or compact tower
- | Features ECO and Smart modes to reduce energy consumption
- | 92% operating efficiency in online mode

Sentinel Dual SDU

- | 5-10kVA
- | Dual height rack mounted or compact towers can be combined
- | 3 units can be operated in parallel
- | On-line double conversion technology

Three-phase modular UPS



Rehiko PW 800DPA

- | 10–200 kVA
- | Available as a tower or rack-mounted solution with hot-swappable modules
- | Parallel capability up to 4 units (400 kW)
- | Up to 95.5% efficiency
- | All Rehiko DPA models feature six nines (99.9999%) availability

Rehiko PW 900DPA

- | 30–250 kVA (200 kVA N+1)
- | Hot-swappable modules and decentralised parallel architecture
- | Parallel capability up to 6 units (1.5 MVA)
- | Up to 95.5% efficiency

Rehiko PW 925DPA

- | 50–300 or 250 kVA/kW N+1
- | Xtra VFI mode – UPS automatically adjusts the number of active modules according to the load requirements
- | Parallel capability up to 5 units (1.5 MVA/MW)
- | Up to 97.4% efficiency

Rehiko PW 950DPA

- | 100–500 kVA/kW
- | Xtra VFI mode – efficiency even when under-loaded
- | Parallel capability up to 6 units (3 MVA/MW)
- | Up to 96% efficiency
- | Small footprint/high power density

High-power modular UPS



Rehiko MF Series

- | 250–1500 kVA, parallelable to 6 MVA
- | 0.75, 1.0 and 1.5 MVA frames with distributed or central bypass
- | Innovative, slide-out vertical modules with distributed parallel architecture (DPA) design for maximum resilience
- | Best-in-class, independently certified efficiency up to 97.4%

Three-phase monolithic UPS



Rehiko PW 5000/TP

- | 10–50kVA
- | Available in 3 cabinet sizes
- | Parallel capability up to 20 units (1 MVA)
- | Up to 95.5% efficiency

Rehiko PW 6000

- | 60–500 kVA
- | Bespoke battery configuration
- | Parallel capability up to 10 units (5 MVA)
- | Up to 96% efficiency



Critical power protection solutions

- | UPS systems
- | Emergency lighting inverters
- | Standby generators
- | Critical power maintenance
- | Energy efficiency, obsolescence risk and compliance audits
- | CIBSE accredited CPD training

Our products are only half the story

We pride ourselves on the service we offer, from concept discussion to end-of-life recycling, and are delighted to be rated best-in-class for customer satisfaction by NICE Satmetrix.

Please feel free to contact us as detailed below – we look forward to hearing from you.



Exceptional 24/7/365
Service Support

UK

Woodgate, Bartley Wood
Business Park, Hook, Hampshire
RG27 9XA

Tel: +44 1256 386700

Email: uksales.ups@rehlko.com

www.ups.rehlko.co.uk

Singapore

3A International Business Park
12-10 ICON IBP Tower B
609935

Tel: +65 6264 6422

Email: salesups.sg@rehlko.com

www.ups.rehlko.sg

Ireland

Unit E, Baldonnell Business Park,
Baldonnell, Dublin 22
D22 X5R2

Tel: +353 (0) 1 460 6859

Email: ieinfo.ups@rehlko.com

www.ups.rehlko.ie



Rehlko is the new name for Kohler Uninterruptible Power

© Rehlko 2026/1. All details correct at time of printing.