



REHLKO Generators

Industrial Generators

(6 kVA – 4,500 kVA)

Single and three-phase standby generators.

Access the highest level of performance.

No longer simply a back-up plan, critical power protection is an essential requirement of every business. If critical applications must be available at all times, without downtime, then a standby generator is the only practical source for long-term power protection during an extended mains outage.

Rehko power generators provide a reliable source of energy for critical applications that must never be without power – no matter what happens.


Rehko generators are also compatible with hydrotreated vegetable oil (HVO) as a genuinely renewable energy source to reduce carbon by up to 90% and support customers on their journey to net zero emissions.



Rehko generators

- | Standby generators for total power protection
- | Integrated Rehko generators and UPS systems
- | Fully matched solutions for true, 'no-break', total power protection
- | Single source turnkey installation, technical support and service
- | Certified as standard for sustainable HVO fuel

Features



Standalone generator

Whether it's a standalone generator or a generator and UPS combined as a total standby power solution, Rehlko supplies products engineered to the highest specifications for today's commercial environments.

The Rehlko generator brand stands for high reliability, low cost and durability. Whether you buy a single generator or a complete solution, all products have the backing of comprehensive technical support, commissioning and maintenance services with excellent service delivery.

One-stop-shop – installation and services 'turnkey' solution

Rehlko's turnkey UPS and generator package guarantees both systems are fully matched, which ensures a true no-break supply in the event of a power failure. Turnkey supply and project management ensures the correct sizing of the generator set with respect to the UPS and critical load. Our fully trained service engineers will test the complete installation to verify system integrity, removing the problem of demarcation between different suppliers.

Reliability and durability

Rehlko generators are highly reliable. We only supply products that we know are going to be with you a long time and which will reliably provide you with back-up power when you need it. Rehlko generators offer leading edge control panel technology, versatility, durability, operation and maintenance. Weatherproof enclosures, for example, and protective coverings for vital parts, reduce wear and tear and aid longevity.

Acoustic enclosures

- | Noise compliant to latest EC directive
- | 2000/14/EC
- | Integral bunded fuel tanks

Rehiko's range of acoustic enclosures has been designed to withstand even the harshest and most extreme climate conditions. Their compact design has been developed specifically to save space and costs – a plus for today's streamlined business environments. They are highly transportable, easy to install and due to their integrated cooling system, sound attenuation and silencers are completely self-contained.

Bulk fuel tanks

- | Environment Agency PPG02 compliant
- | Content gauges and overfill alarms

'Bunding' in a fuel tank, minimises the risk of spillage and offers total security alongside compliance with Environment Agency PPG2 regulations for the storage of diesel fuel. We can provide a wide range of bunded fuel tanks, ready to use. All our tanks are available in different specifications, depending on customer and site requirements. The correct installation of bunded fuel tanks is just as important as the quality of the tank itself. Using single or double-skinned pipework, our team of experts install and test bunded fuel tanks to ensure they are fully compliant with applicable regulations and in complete working order.

Bespoke acoustic packages

- | Plantroom attenuation
- | Acoustic enclosures/containers

Every installation is different and some require bespoke acoustic engineering. At Rehiko, we've made it our business to design solutions around the customer and this is evidenced by our ability to customise acoustic packages that include container design, plantroom design, groundworks, mechanical installation, cabling, pipework and associated works required to meet the exact requirements of the installation.

Rehiko T Series

- | Single-phase (8–17 kVA)
- | Three-phase (11–22 kVA)

Powerful series of standby generators available in six models for single and three-phase business applications. Each generator is built with a high performance Mitsubishi engine for reduced noise pollution and improved fuel efficiency. Available as an 'open' generator or within an acoustic enclosure to further minimise noise emissions. Standard and DW24 tank options.

Rehiko J Series

- | Three-phase (22–250 kVA)

Series of three-phase UPS generators providing power from 22 to 250 kVA. Each generator is powered by a John Deere engine for reliable backup during power failures. Bunded fuel tank minimises diesel spillage, with additional fuel tank capacity to extend run time. Models available for commercial and industrial use. Standard, DW24 and DW48 tank options.

Rehiko D Series

- | Three-phase (275–830 kVA)

Power products generating set, equipped with a DOOSAN engine. Standard and DW24 tank options.

Rehiko K Series

- | Single-phase (6–26 kVA)
- | Three-phase (9–44 kVA)

Reliable series of single and three-phase standby generators from 6 kVA to 44 kVA. Each generator is built with a highperformance Rehiko engine to help you achieve more. Available as an 'open' generator or within an acoustic enclosure to further minimise noise emissions.

All sets available open or canopied.

Rehiko V Series

- | Three-phase (275–700 kVA)

High specification range of UPS generators providing 'turnkey' backup power with APM control panels fitted as standard. Each generator is powered by a Volvo engine. Built-in fault-finding tools and remote operation for a reliable power supply during mains failures. Available 'open' or within a weatherproof enclosure for added protection from the elements. Standard and DW24 tank options.

Your choice of control

Most generators supplied by Rehlko have a choice of control panel options. Generators these days are extremely reliable with almost all enabling both automatic and manual operation. The choice of an appropriate control panel is therefore down to how much additional monitoring is desired. A more advanced control panel offers enhanced userfriendliness and diagnostics capability. It does all this with a reduced number of buttons, thus simplifying operation.

Changeover panels

Rehlko provide a choice of two high quality automatic changeover panels – the VERSO 100 and 200 – to enable automatic start-up of the standby generator and safe, fast transfer of the load in the event of a mains power cut. When mains power is restored, these changeover panels will automatically disconnect the generator and connect the load back to the mains.

The VERSO 100 is rated for applications from 35 to 160 amp.


The VERSO 200 is rated for higher applications from 200 to 1600 amp and has the additional benefit of an LCD, allowing the voltage and frequency parameters on both the mains and generator sides to be simultaneously displayed.



APM 303 control panel

- | Entry level control panel
- | LCD screen for basic engine and alternator operational parameters
- | LED alarm and fault indication

Our entry level product is the APM 303 panel. APM 303 is fitted as standard on all Rehlko T and J series standby generators. It provides both manual and automatic operational control of the generator and provides a basic indication of operational parameters, as well as alarm and fault indication via its standard LCD screen. Additionally, LED indication of alarms and faults are also provided.



APM 403 control panel

- | Control panel for remote monitoring
- | Graphical LCD Screen
- | Messages for alarms and faults

The APM403 panel is fitted as standard on all Rehlko V and D Series standby generators. This control panel is designed for low voltage industrial diesel generator sets and its remote management and supervision functions allows monitoring and even operation at anytime, anywhere. The APM403 control panel is simple to use and comes with built in intuitive configurations to cater to different backup system setups.



APM 802 control panel

- | Advanced control panel
- | Large colour graphical touch display
- | Continuous 24-hour data logging

The APM802 panel is fitted as an option on Rehlko V and D Series standby generators. This advanced control panel provides system monitoring, and system diagnostics for optimum performance. It uses software logic to manage alternator thermal overload protection features normally requiring additional hardware.



Exceptional 24/7/365
Service Support

UK

Woodgate, Bartley Wood
Business Park, Hook,
Hampshire RG27 9XA

Tel: +44 1256 386700

Email: uksales.ups@rehlko.com

www.ups.rehiko.co.uk

Singapore

3A International Business Park
12-10 ICON IBP Tower B
609935

Tel: +65 6264 6422

Email: salesups.sg@rehlko.com

www.ups.rehiko.sg

Ireland

Unit E, Baldonnell Business
Park, Baldonnell, Dublin 22
D22 X5R2

Tel: +353 (0) 1 460 6859

Email: ieinfo.ups@rehlko.com

www.ups.rehiko.ie



Rehiko is the new name for Kohler Uninterruptible Power